

clouder manager (cm)降级:

1/ repo

```
cat /etc/yum.repos.d/cloudera-manager.repo
name = Cloudera Manager, Version 6.1.0
baseurl = http://172.20.85.29/cloudera-repos/cm6/
gpgcheck = 0
```

```
mv /etc/yum.repos.d/cm6.1.0.repo /etc/yum.repos.d/cm6.1.0.repo.bak
mv /etc/yum.repos.d/cm6.0.1.repo.bak /etc/yum.repos.d/cm6.1.0.repo
mv /etc/yum.repos.d/cloudera-manager.repo /etc/yum.repos.d/cloudera-
manager.repo.bak1
```

检测安装版本

```
[root@cdh85-29 ~]# ansible cdh -m shell -a "yum --disablerepo=* --
enablerepo=cloudera* list installed cloudera-manager-*
```

检查repo

```
ansible cdh -m copy -a "src=/etc/yum.repos.d/cloudera-
manager.repo dest=/etc/yum.repos.d/cloudera-manager.repo"
ansible cdh -m shell -a "yum clean all"
ansible cdh -m shell -a "yum repolist|grep cloudera"
ansible cdh -m shell -a "yum deplist cloudera-manager-
agent|grep cloudera-manager-agent"
```

集群进入维护模式。。。。

2/cm services stop

3/ cm server agent stop

停掉所有服务器的 cm agent。。。

```
systemctl stop cloudera-scm-server
systemctl stop cloudera-scm-agent
systemctl status cloudera-scm-server
systemctl status cloudera-scm-agent
```

```
ansible cdh -m shell -a "systemctl stop cloudera-scm-agent"
```

4/ backup

```
com.cloudera.cmf.db.type=mysql
com.cloudera.cmf.db.host=172.20.85.200
com.cloudera.cmf.db.name=baofoo_scm
com.cloudera.cmf.db.user=scm
com.cloudera.cmf.db.setupType=EXTERNAL
com.cloudera.cmf.db.password=34sd1h3d
```

```
baofoo_scm
baofoo_hive_2
baofoo_hue
baofoo_oozie
baofoo_sentry_2
```

```
[root@cdh85-100 ~]# mkdir cmdb_bak
[root@cdh85-100 ~]# cd cmdb_bak/
mysqldump -h 172.20.85.200 -u scm -p --
databases baofoo_scm >baofoo_scm.dump
mysqldump -h 172.20.85.200 -u scm -p --
databases baofoo_hive_2 >baofoo_hive_2.dump
mysqldump -h 172.20.85.200 -u scm -p --
databases baofoo_hue >baofoo_hue.dump
mysqldump -h 172.20.85.200 -u scm -p --
databases baofoo_oozie >baofoo_oozie.dump
mysqldump -h 172.20.85.200 -u scm -p --
databases baofoo_sentry_2 > baofoo_sentry_2.dump
```

5/ cm downgrade

分发 cm6.0.1.repo 到所有hosts

```
yum downgrade cloudera-manager-*
```

```
systemctl status cloudera-scm-server
```

```
systemctl status cloudera-scm-agent ## 自启动了。。
```

```
systemctl start cloudera-scm-server
```

```
tailf /var/log/cloudera-scm-server/cloudera-scm-server.log
```

6/ cm 7180

```
[root@~]# rpm -qa|grep cloudera-manager-*
```

```
cloudera-manager-agent-6.0.1-610811.el7.x86_64
```

```
cloudera-manager-server-6.0.1-610811.el7.x86_64
```

```
cloudera-manager-daemons-6.0.1-610811.el7.x86_64
```

检测agent ; hosts

重启cm services